

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance OR management))) SAME (creat\$3 OR establish\$3) SAME secure SAME virtual SAME (connection OR session)).CLM.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 15:40

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5439	709/224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L2	464	(network NEAR monitor\$3) SAME collect\$5 SAME (health OR status OR performance)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L3	105	L1 AND L2	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L4	2004783 9	@ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L5	55	L3 AND L4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L6	1	L5 AND VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L7	11	L3 AND L4 AND secure	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L8	31	L3 AND L4 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L9	2440	distributed network monitor\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L10	5845673	(creat\$3 OR establish\$3) secur\$3 virtual (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L11	27791	network NEAR2 monitor\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L12	21200	L10 AND L11	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13	1643	L12 AND L1	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L14	700	L13 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L15	358	L14 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L16	173	L14 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L17	55	L14 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L18	51	L14 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L19	10	L14 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet) AND (data NEAR center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L20	51	(L10 SAME L11) AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet) AND (data NEAR center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L21	21	L20 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L22	14787	remote ADJ monitoring	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L23	34	(collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance OR management))) SAME (creat\$3 OR establish\$3) SAME secure SAME virtual SAME (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L24	12	L23 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L25	203	(creat\$3 OR establish\$3) secure\$1 virtual (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L26	9497	(709/223,224).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/10/19 11:58
L27	44	L25 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L28	3	L27 AND L26	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L29	44	L25 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L30	30	(remote ADJ monitoring) SAME VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L31	13	(remote ADJ monitoring) SAME (secure WITH connection)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L32	444	VPN.TI.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L33	92	L32 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L34	17	secure virtual connection	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L35	1370	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information) ((central OR center) NEAR2 (station OR management OR station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L36	1370	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information OR (raw NEAR data)) ((central OR center) NEAR2 (station OR management OR station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58

## EAST Search History

L37	19	L36 AND L26	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L38	617	L36 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L39	13	L38 AND L9	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L40	2808	((creat\$4 OR establish\$4) . NEAR3 secure NEAR3 connection	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L41	2	((collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information OR (raw NEAR data)) ((central OR center) NEAR2 (station OR management OR station))) AND ((creat\$4 OR establish\$4) NEAR3 secure NEAR3 (session OR connection))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L42	1317	establish\$3 secure (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L43	690	establish\$3 secure (connection OR session) SAME (up\$1load\$3 OR transfer\$4 OR transmit\$4 OR communicat\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L44	17	L43 SAME network SAME monitor\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L45	27	L43 AND (network monitor\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58

## EAST Search History

L46	121	L43 AND (network WITH monitor\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L47	20	709/224.ccls. AND L42	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L48	4	L47 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L49	2343	establish\$3 secure (connection OR session) SAME (up\$1load\$3 OR transfer\$4 OR transmit\$4 OR communicat\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L50	630	L49 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L51	39	709/223,224.ccls. AND L50	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L52	196	(up\$1load\$3 OR transmit\$4) WITH collect\$4 WITH (data OR (raw NEAR data) OR status OR performance) NEAR5 (network NEAR2 (device OR element OR machine OR terminal))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L53	51	L52 SAME ((data NEAR2 center) OR server OR NMS OR (management NEAR2 station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L54	9	L53 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L55	40	periodical\$3 poll\$3 determin\$3 (status OR state OR condition) (server OR provider OR service)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58

## EAST Search History

L56	22	L55 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L57	156	periodical\$3 poll\$3 (server OR provider OR service) (status OR state OR condition)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L58	80	L57 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L59	12	709/223,224.ccls. AND L58	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L60	80	L57 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L61	5439	709/224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L62	464	(network NEAR monitor\$3) SAME collect\$5 SAME (health OR status OR performance)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L63	105	L61 AND L62	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L64	2004783 9	@ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L65	55	L63 AND L64	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58



## EAST Search History

L66	2440	distributed network monitor\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L67	5845673	(creat\$3 OR establish\$3) secur\$3 virtual (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L68	27791	network NEAR2 monitor\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L69	21200	L67 AND L68	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L70	1643	L69 AND L61	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L71	700	L70 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L72	358	L71 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L73	173	L71 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L74	55	L71 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L75	51	L71 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L76	51	(L67 SAME L68) AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet) AND (data NEAR center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L77	14787	remote ADJ monitoring	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L78	34	(collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance OR management))) SAME (creat\$3 OR establish\$3) SAME secure SAME virtual SAME (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L79	203	(creat\$3 OR establish\$3) secure\$1 virtual (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L80	9497	(709/223,224).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/10/19 11:58
L81	44	L79 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L82	30	(remote ADJ monitoring) SAME VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L83	444	VPN.TI.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L84	92	L83 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L85	1370	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information) ((central OR center) NEAR2 (station OR management OR station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L86	1370	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information OR (raw NEAR data)) ((central OR center) NEAR2 (station OR management OR station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L87	617	L86 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L88	2808	(creat\$4 OR establish\$4) NEAR3 secure NEAR3 connection	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L89	1317	establish\$3 secure (connection OR session)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L90	690	establish\$3 secure (connection OR session) SAME (up\$1load\$3 OR transfer\$4 OR transmit\$4 OR communicat\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L91	121	L90 AND (network WITH monitor\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L92	20	709/224.ccls. AND L89	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L93	2343	establish\$3 secure (connection OR session) SAME (up\$1load\$3 OR transfer\$4 OR transmit\$4 OR communicat\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L94	630	L93 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L95	196	(up\$1load\$3 OR transmit\$4) WITH collect\$4 WITH (data OR (raw NEAR data) OR status OR performance) NEAR5 (network NEAR2 (device OR element OR machine OR terminal))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L96	51	L95 SAME ((data NEAR2 center) OR server OR NMS OR (management NEAR2 station))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L97	40	periodical\$3 poll\$3 determin\$3 (status OR state OR condition) (server OR provider OR service)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L98	156	periodical\$3 poll\$3 (server OR provider OR service) (status OR state OR condition)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L99	80	L98 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 0	1	L65 AND VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 1	11	L63 AND L64 AND secure	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 2	31	L63 AND L64 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L10 3	10	L71 AND (collector OR agent OR (monitor\$3 NEAR3 (module OR component OR appliance))) AND SNMP AND ((home OR private OR enterprise) NEAR2 network) AND (WAN OR Internet) AND (data NEAR center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 4	21	L76 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 5	12	L78 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 6	3	L81 AND L80	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 7	44	L79 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 8	13	(remote ADJ monitoring) SAME (secure WITH connection)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L10 9	17	secure virtual connection	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L11 0	19	L86 AND L80	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L11 1	13	L87 AND L66	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L11 2	2	((collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element)))(transmit\$4 OR communicat\$4) (data OR information OR (raw NEAR data)) ((central OR center) NEAR2 (station OR management OR station))) AND ((creat\$4 OR establish\$4) NEAR3 secure NEAR3 (session OR connection))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L11 3	17	L90 SAME network SAME monitor\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L11 4	27	L90 AND (network monitor\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L11 5	4	L92 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L11 6	39	709/223,224.ccls. AND L94	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L11 7	9	L96 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L11 8	22	L97 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L11 9	12	709/223,224.ccls. AND L99	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L12 0	80	L98 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58

## EAST Search History

L12 1	2	(SILVERBACK NEAR2 TECHNOLOGIES).as.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L12 2	91	((Bray AND Patrick) (Pillai AND Vikram) (Kinsella AND Joseph) (Bray AND Patrick) (White AND Noah) (MacCallum AND Deborah) (Klotz AND Robert) (Bruell AND Gregory)) .in.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L12 3	4	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information) ((central OR center) NEAR2 (station OR management OR station)) VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2006/10/19 11:58
L12 4	18	(collector OR (data NEAR2 collector) OR ((management OR monitor\$4) NEAR2 (device OR module OR component OR station OR agent OR element) ))(transmit\$4 OR communicat\$4) (data OR information) ((central OR center) NEAR2 (station OR management OR station)) AND VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L12 5	183	(remot\$3 NEAR2 monitor\$5) (data NEAR2 center)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L12 6	15	L125 AND VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L12 7	2	("20020052950").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/10/19 11:58
L12 8	3438	remote\$5 monitor\$3 control\$4 (network OR (data NEAR2 center))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58

## EAST Search History

L12 9	9497	(709/223,224).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/10/19 11:58
L13 0	197	L128 AND L129	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 1	828	L128.ab.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 2	53	L130 AND (VPN OR (secure NEAR2 connection))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 3	8	L132 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 4	6919	(obtain\$3 OR reciev\$4 OR download\$3) (user OR customer OR client) (parameter OR (connection NEAR2 (information OR parameter OR data)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L13 5	15703	L134 SAME (secure NEAR2 (connection OR session)) OR VPN OR (virtual ADJ private ADJ network)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 6	11785	L134 SAME (secure NEAR2 (connection OR session)) OR VPN OR (virtual ADJ private ADJ network) SAME first SAME second SAME interface	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 7	11768	L134 SAME (secure NEAR2 (connection OR session)) OR VPN OR (virtual ADJ private ADJ network) SAME first SAME second SAME interface SAME (monitor\$3 AND control\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58
L13 8	556	709/223,224.ccls. AND L137	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 11:58



## EAST Search History

L13 9	9	L138 AND (establish\$3 secure connection)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/10/19 11:58
L14 0	14	user information creat\$4 VPN	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 13:33
L14 1	138	user information (creat\$4 OR establish\$4) (VPN OR (secure NEAR connection))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2006/10/19 11:58
L14 2	27	L141 AND @ad<"20001211"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/19 13:22